

# Indiana Department of Natural Resources / Division of Water

## 30 Day Public Notice Report

---

The Department of Natural Resources is providing this report to satisfy the requirements of the "Procedures Concerning Certain Licenses Act", IC 14-11-4, and its associated administrative rule, 312 IAC 2-3. The application files are available for public inspection at the Division of Water's office in Indianapolis. Please contact the Division's Technical Services Section at (317) 232-4160 or the toll free number 1-877-928-3755 to make an appointment for file review. Photocopies may be made for a nominal charge of \$0.10 per 8 1/2 " X 11" copy.

A pre-action public hearing on an application may be requested by filing a written petition with the Director, Division of Water:

Michael W. Neyer, P.E., Director  
Division of Water  
Room W264  
402 West Washington Street  
Indianapolis, Indiana 46204

For a petition to be considered valid it must:

1. Contain the typed or legibly printed name and complete mailing address of each petitioner;
2. Be signed by a minimum of 25 individuals who are at least 18 years old and either reside in the county where the project will take place or own real property within 1 mile of the project site;
3. Affirm that each signatory to the petition satisfies the requirements of item 2; and
4. Identify the application for which the public hearing is being requested either by the application # or the applicant's name and the project description.

A petition which does not meet these requirements will be considered invalid and the hearing request will not be granted.

A person may request that the Department provide written notice of its action on an application by filing a written request with:

Division of Water  
Room W264  
402 West Washington Street  
Indianapolis, Indiana 46204

The request must identify the application by either the application # or the applicant's name and the project description.

# Indiana Department of Natural Resources / Division of Water

## 30 Day Public Notice Report

---

Application # : DR-461

Lake : Nyona Lake

Applicant : Fulton County Surveyor  
Don Towne  
987 East 700 North  
Rochester, IN 46975-7320

Description : Remove silt and brush from 175' of open channel in a one step removal process and haul to an upland site. Replace approximately 550' of an existing 8" tile with a 12" tile. Details of the project are contained in information and plans received at the Division of Water on July 17, 2006.

Location : Beginning 400' west and 700' north of the County Road 1350 North crossing of Nyona Lake and extending upstream (northwest) approximately 725'  
DOWNSTREAM: near Macy, Liberty Township, Fulton County  
S½, NE¼, NE¼, Section 16, T 29N, R 3E, Macy Quadrangle  
Quad Code: 4008682  
UTM Coordinates: Downstream 4535028 North, 568311 East  
UPSTREAM:  
UTM Coordinates: Upstream 4535091 North, 568079 East

Statute/Rule : "Ditch" Act, IC 14-26-5

# Indiana Department of Natural Resources / Division of Water

## 30 Day Public Notice Report

---

Application # : FW-23865

Stream : Tippecanoe River

Applicant : Frank Alan Utes  
612 Terrace Drive  
Winamac, IN 46996-1112

Description : Approximately 480' the river's eroded north bank will be stabilized with glacial stone. The stone will be keyed into the streambed at its base and will conform to the existing bank at the project limits. The stone will have a maximum height of 12' and a depth of 1.5'. Details of the project are contained in information and plans received at the Division of Water on June 6, 2006, July 5, 2006, July 24, 2006

Location : Beginning on the west bank approximately 1500' upstream (northeast) from the confluence with Mill Creek and continuing upstream for approximately 480'  
DOWNSTREAM: near Winamac, Monroe Township, Pulaski County  
SW $\frac{1}{4}$ , NW $\frac{1}{4}$ , SE $\frac{1}{4}$ , Section 25, T 30N, R 2W, Winamac Quadrangle  
Quad Code: 4108615  
UTM Coordinates: Downstream 4540550 North, 534343 East  
UPSTREAM: SE $\frac{1}{4}$ , NW $\frac{1}{4}$ , SE $\frac{1}{4}$   
  
UTM Coordinates: Upstream 4540659 North, 534442 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

# Indiana Department of Natural Resources / Division of Water

## 30 Day Public Notice Report

---

Application # : FW-23890

Stream : Clear Creek

Applicant : Joe Greene  
PO Box 2027  
Bloomington, IN 47402-2027

Description : A new access drive will be placed in three separate locations along South Rogers Street. New culvert pipes will be placed beneath the access drives with swales between each culvert. An additional access drive is proposed out of the floodway. Details of the project are contained in information and plans received at the Division of Water on June 21, 2006.

Location : Along the left (east) bank of Clear Creek and east of South Rogers Street from 240' north of that road to 350' south of that road intersection  
DOWNSTREAM: at Bloomington, Perry Township, Monroe County  
NW¼, NE¼, SE¼, Section 20, T 8N, R 1W, Clear Creek Quadrangle  
Quad Code: 3908615  
UTM Coordinates: Downstream 4329250 North, 539825 East  
UPSTREAM: SW¼, SE¼, NE¼  
  
UTM Coordinates: Upstream 4329450 North, 539550 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

# Indiana Department of Natural Resources / Division of Water

## 30 Day Public Notice Report

---

Application # : FW-23900

Stream : Smith Ditch

Applicant : Heidbreder Development Incorporated  
Timothy Heidbreder  
PO Box 728  
Crown Point, IN 46308-0728

Description : Approximately 1740' of an existing channel will be realigned to improve hydraulic efficiency and to make room for a proposed commercial development. The new channel will be approximately 1624' long, 5' deep, 20' wide at the bottom, and will have 3:1 sideslopes. The new channel location will be excavated 'in the dry' and will not be connected to the existing channel until the excavation has been stabilized. Excavated material will be stockpiled for later use as fill in the existing channel. Details of the project are contained in information and plans received at the Division of Water on July 3, 2006.

Location : Between the 113th Avenue crossing and the Broadway Avenue crossing  
DOWNSTREAM: near Crown Point, Center Township, Lake County  
E½, NW¼, SW¼, Section 10, T 34N, R 8W, Crown Point Quadrangle  
Quad Code: 4108743  
UTM Coordinates: Downstream 4584166 North, 471987 East  
UPSTREAM:  
UTM Coordinates: Upstream 4584638 North, 472179 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

# Indiana Department of Natural Resources / Division of Water

## 30 Day Public Notice Report

---

Application # : FW-23905

Stream : St. Joseph River

Applicant : Stephen Roseland  
Stephan and Shirley Roseland  
50585 Brookhaven Drive  
Granger, IN 46530-4935

Description : Approximately 130' of sheet piling retaining wall will be constructed along the south bank. The top of the wall will be approximately 24' above the waterline. The area landward of the proposed wall will be backfilled and leveled with the top of the wall. The trash and debris along the existing shore will be removed from the site. Details of the project are contained in information and plans received at the Division of Water on July 10, 2006.

Location : 28439 County Road 16  
near Elkhart, Baugo Township, Elkhart County  
NW¼, SW¼, NE¼, Section 12, T 37N, R 4E, Osceola Quadrangle  
Quad Code: 4108661  
UTM Coordinates: Downstream 4614380 North, 582258 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

# Indiana Department of Natural Resources / Division of Water

## 30 Day Public Notice Report

---

Application # : FW-23906

Stream : Foss Ditch

Applicant : Bay Bridge Estates LLC  
John Lotton  
3500 Union Avenue  
Steger, IL 60475-1779

Description : The proposed Bay Bridge Estates residential development project will consist of the placement of fill in Foss Ditch and the Unnamed Tributary to Foss ditch to construct an intersection at 153rd Street and three roadway bridges crossing the watercourses. In addition earthwork will be performed along Lake Dalecarlia to modify the floodplain limits on the property. Base Flood Elevations upstream of the property will be maintained or reduced in proposed conditions. Details of the project are contained in information and plans received at the Division of Water on July 10, 2006.

Location : Approximately 25' north of 153D Avenue and approximately 3775' west of the intersection of 153D Avenue and Clark Street  
DOWNSTREAM: near Cedar Lake, Cedar Creek Township, Lake County  
SW $\frac{1}{4}$ , SE $\frac{1}{4}$ , NW $\frac{1}{4}$ , Section 1, T 33N, R 9W, Lowell Quadrangle  
Quad Code: 4108734  
UTM Coordinates: Downstream 4576702 North, 466002 East  
UPSTREAM: near Cedar Lake, Cedar Creek Township, Lake County  
SW $\frac{1}{4}$ , NW $\frac{1}{4}$ , NE $\frac{1}{4}$ , Section 1, T 33N, R 9W, Lowell Quadrangle  
Quad Code: 4108734  
UTM Coordinates: Upstream 4577217 North, 466412 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

# Indiana Department of Natural Resources / Division of Water

## 30 Day Public Notice Report

---

Application # : FW-23909

Stream : West Fork White River

Applicant : Indianapolis Department of Capital Asset  
Management  
William V Bowman  
604 North Sherman Drive  
Indianapolis, IN 46201-2563

Description : The project entails installing a 24" storm drain and ditches along Bluff Road and West Street. The outlet will have a standard concrete headwall that is 5'-6" high by 4' wide. The bank below the outlet will be lined with riprap to prevent erosion. A "Duck-bill" backwater valve will be installed at the outlet to prevent backflow. Details of the project are contained in information and plans received at the Division of Water on July 10, 2006.

Location : In the left overbank approximately 1050' west and 2000' south of the intersection of Bluff Road and Raymond Street extending northwest to the river approximately 200'  
near Indianapolis, Center Township, Marion County  
NW¼, SE¼, NW¼, Section 23, T 15N, R 3E, Marion Quadrangle  
Quad Code: 4008556  
UTM Coordinates: Downstream 4398295 North, 570872 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10



# Indiana Department of Natural Resources / Division of Water

## 30 Day Public Notice Report

---

Application # : FW-23912

Stream : Rhoton Ditch

Applicant : City of Montpelier  
Bruce Haisley  
300 West Huntington Street  
Montpelier, IN 47359-1006

Description : The City of Montpelier is constructing an industrial park on part of a 77 +/- acre parcel. At the point that Hawkins Ditch and Rhoton Ditch merge, a road crossing with culvert will be installed. The crossing consists of three 72" side by side concrete culverts. In addition, a portion of the Hawkins Ditch will be piped and will be located to outfall further upstream of the current discharge. This will expand the length of Department of Natural Resources jurisdiction of the Rhoton Ditch. A new 8" sewer line and 12" water line will cross under the proposed 72" culvert pipes. Electric gas and telecommunications will run adjacent to these utilities and be bored under the ditch at these locations if not installed with water and sewer. Details of the project are contained in information and plans received at the Division of Water on July 12, 2006.

Location : Approximately 1000' upstream of the State Route 18 crossing of Rhoton Ditch near Montpelier, Harrison Township, Blackford County  
SW¼, NE¼, NE¼, Section 8, T 24N, R 11E, Montpelier Quadrangle  
Quad Code: 4008553  
UTM Coordinates: Downstream 4490159 North, 643959 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

# Indiana Department of Natural Resources / Division of Water

## 30 Day Public Notice Report

---

Application # : FW-23914

Stream : Clay Lick Creek

Applicant : Brown County  
Ronald Fleetwood  
PO Box 2088  
Nashville, IN 47448-2088

Description : The superstructure of the existing bridge carrying Old State Road 46 over the creek will be replaced. New bearings, beams, and bridge deck will be placed on the existing abutments. The bridge will have a clear roadway width of 26.6' and an out-to-out length of 53.1'. Approximately 25' of approach road work will be performed on each side of the bridge. Guardrail will be installed at each corner of the bridge. There is no proposed work on the existing abutments or in the channel. The bridge opening and the low-chord elevation will remain virtually the same. Details of the project are contained in information and plans received at the Division of Water on July 13, 2006.

Location : Brown County Bridge number 65. Old State Road 46 over Clay Lick Creek which is a tributary to the North Fork of Salt Creek. All in Section 20 Township 9 north Range 3 East of Brown County Indiana. All on the Nashville United States Geological Survey Quadrangle Map.  
near Nashville, Washington Township, Brown County  
NE¼, NE¼, SW¼, Section 20, T 9N, R 3E, Nashville Quadrangle  
Quad Code: 3908622  
UTM Coordinates: Downstream 4339554 North, 567290 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

# Indiana Department of Natural Resources / Division of Water

## 30 Day Public Notice Report

---

Application # : FW-23916

Stream : St. Joseph River

Applicant : City of South Bend  
Carl P. Littrell  
227 West Jefferson Boulevard  
1316 County City Building  
South Bend, IN 46601-1830

Description : A 12" diameter sanitary sewer line, a 16" diameter sanitary sewer line, and a 4" diameter fiber optic cable line will be placed beneath the river. All lines will be composed of high density polyethylene pipe (HDPE). The project is to be completed by directional drill methods. The lines will have a minimum of 20' of cover. Details of the project are contained in information and plans received at the Division of Water on July 13, 2006, July 21, 2006.

Location : Approximately 1300' upstream (south) of the I-80/90 crossing  
DOWNSTREAM: at South Bend, Portage Township, St. Joseph County  
N½, SE¼, NW¼, Section 26, T 38N, R 2E, South Bend West Quadrangle  
Quad Code: 4108663  
UTM Coordinates: Downstream 4618831 North, 560954 East  
UPSTREAM:  
UTM Coordinates: Upstream 4618831 North, 560954 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

# Indiana Department of Natural Resources / Division of Water

## 30 Day Public Notice Report

---

Application # : FW-23918

Stream : Guion Creek

Applicant : Indianapolis Department of Public Works  
Bill Chappell  
604 North Sherman Drive  
Indianapolis, IN 46201-2563

Description : The existing single-span bridge will be widened from 34' 4" to 56' 4". The approach roads will be extended approximately 470' west of the structure and 350' east of the structure. Additional proposed work includes adding gabions at roadside ditches, widening the concrete slope wall, relocating roadside ditches, and constructing a temporary work bridge. Details of the project are contained in information and plans received at the Division of Water on July 20, 2006.

Location : At the 62nd Street bridge crossing  
near Indianapolis, Pike Township, Marion County  
SW¼, SW¼, SW¼, Section 32, T 17N, R 3E, Indianapolis West Quadrangle  
Quad Code: 3908672  
UTM Coordinates: Downstream 4413175 North, 566575 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

# Indiana Department of Natural Resources / Division of Water

## 30 Day Public Notice Report

---

Application # : FW-23919

Stream : Martindale Creek

Applicant : Irving Materials Incorporated  
Kevin Gibson  
1078 East Luray Road  
Springport, IN 47386-9715

Description : An existing sand and gravel pit is to be expanded, which will involve stripping overburden and extracting sand and gravel from a 26.2 acre area of which 25 acres lies within the floodplain of Martindale Creek. The overburden material will be used to facilitate ongoing regarding and reclamation in the existing gravel pit. No materials will be stockpiled within the floodplain. A 200' buffer zone will be maintained between the effected area and the top of the bank of the creek. Details of the project are contained in plans and information received at the Division of Water on July 21, 2006.

Location : Beginning approximately 1000' upstream (northeast) and 200' west of the Whitewater River confluence extending 2640 upstream (northeast) and 200' west of Martindale Creek  
DOWNSTREAM: near Cambridge City, Washington Township, Wayne County SE¼, NE¼, Section 35, T 16N, R 12E, Cambridge City Quadrangle  
Quad Code: 3908572  
UTM Coordinates: Downstream 4406575 North, 658600 East  
UPSTREAM: NE¼, NE¼, NE¼  
  
UTM Coordinates: Upstream 4407250 North, 658800 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

# Indiana Department of Natural Resources / Division of Water

## 30 Day Public Notice Report

---

Application # : FW-23921

Stream : West Fork White River

Applicant : \*Indiana Department of Transportation  
Richard Phillabaum  
100 North Senate Avenue, Room N642  
Indianapolis, IN 46204-2216

Description : The existing steel beam and reinforced concrete girder bridge carrying State Road 9/State Road 109 over the river will be rehabilitated. Two of the piers will be reconstructed under the southbound lanes down to the footings. One end bent will be reconstructed down to the top of the bent cap. The existing 20 degree skew, profile grade, and waterway opening will not change. The spill-through abutments will also remain unchanged, having 2:1 side slopes armored with riprap over geotextile fabric. The project will also include overlaying the deck and installing regulation railing. Details of the project are contained in information and plans received at the Division of Water on July 17, 2006.

Location : Beginning 75' west (upstream) of State Road 9/State Road 109 and continuing east (downstream) for approximately 150'  
DOWNSTREAM: at Anderson, Anderson Township, Madison County  
NE¼, SE¼, NE¼, Section 18, T 19N, R 8E, Anderson South Quadrangle  
Quad Code: 4008516  
UTM Coordinates: Downstream 4439935 North, 614831 East  
UPSTREAM:  
UTM Coordinates: Upstream 4439935 North, 614831 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

# Indiana Department of Natural Resources / Division of Water

## 30 Day Public Notice Report

---

Application # : FW-23922

Stream : Cochoit Ditch

Applicant : Liberty Construction Inc  
Clyde Pendergrass  
4429 Allen Martin Drive  
Fort Wayne, IN 46806-2849

Description : A 61' x 140' area will be excavated for a proposed parking lot. The excavated materials will be removed from the floodway and replaced with asphalt and concrete. A 200' buffer zone will be maintained between the effected area and the top of the bank of the creek. The parking lot will slope from an existing lot south to an elevation of 764.4' NGVD 1929. Also, a rock check dam will be constructed and a 24" diameter storm drain pipe will be installed from the southend of the parking lot to the ditch. Riprap laid on geotextiles will be placed at the base of the end section for energy dissipation. Details of the project are contained in information and plans received at the Division of Water on July 20, 2006.

Location : Approximately 600' south of the State Road 930 and Werling Road intersection and 1000' west of Werling Road  
near New Haven, Adams Township, Allen County  
NW¼, SE¼, SE¼, Section 11, T 30N, R 13E, Fort Wayne East Quadrangle  
Quad Code: 4108511  
UTM Coordinates: Downstream 4548925 North, 665975 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

# Indiana Department of Natural Resources / Division of Water

## 30 Day Public Notice Report

---

Application # : FW-23925

Stream : Otter Creek

Applicant : Bartholomew County  
Danny Hollander  
2452 State Street  
Columbus, IN 47201-7348

Description : The existing single span corrugated steel beam bridge carrying County Road 650 East over Otter Creek will be replaced with a new structure on essentially the same alignment to improve traffic flow. The new structure will be a single span prestressed concrete box beam bridge with span length of 69 ft. The structure will have an out-to-out length of 70.7 ft and a clear roadway width of 30 ft. The spill through abutments will have/have 2:1 sideslopes armored with revetment riprap placed over geotextile. The abutments will be skewed 30 degrees to align with the streamflow. The new approach roads will be elevated a maximum of 3 ft above the existing approaches. The existing structure will be completely removed. The project is not federally funded. Details of the project are contained in information received electronically at the Division of Water on July 24, 2006.

Location : Bartholomew County Bridge No. 21 is located on County Road 650 East over Otter Creek  
near Columbus, Clay Township, Bartholomew County  
Section 19, T 9N, R 10E, Elizabethtown Quadrangle  
Quad Code: 3908527

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10



# Indiana Department of Natural Resources / Division of Water

## 30 Day Public Notice Report

---

Application # : FW-23927

Stream : St. Joseph River

Applicant : James F Piechorowski  
55659 rivershore lane  
Elkhart, IN 46516

Description : A 27'x38' area will be dredged out to a maximum of 4' to maintain boat traffic and temporary storage. All dredge material will be hauled off site to an upland site. Details of the project are contained in information received electronically at the Division of Water on July 24, 2006.

Location : 55659 rivershore drive  
At Elkhart, Baugo Township, Elkhart County  
Section 2, T 37N, R 4E

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Application # : FW-23929

Stream : Unnamed Tributary Foss  
Ditch

Applicant : Bay Bridge Estates LLC  
John Lotton  
3500 Union Avenue  
Steger, IL 60475-1779

Description : The proposed Bay Bridge Estates residential development project will consist of the placement of fill in Foss Ditch and the Unnamed Tributary to Foss ditch to construct an intersection at 153rd Street and three roadway bridges crossing the watercourses. In addition earthwork will be performed along Lake Dalecarlia to modify the floodplain limits on the property. Base Flood Elevations upstream of the property will be maintained or reduced in proposed conditions. Details of the project are contained in information and plans received at the Division of Water on July 10, 2006.

Location : Approximately 1250' upstream of the confluence with Foss Ditch  
near Cedar Lake, Cedar Creek Township, Lake County  
NE¼, NE¼, NW¼, Section 1, T 33N, R 9W, Lowell Quadrangle  
Quad Code: 4108734  
UTM Coordinates: Downstream 4577365 North, 466174 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

# Indiana Department of Natural Resources / Division of Water

## 30 Day Public Notice Report

---

Application # : PL-20508

Lake : Lake James

Applicant : H Eugene Winkler  
Henry Winkler  
100 Lane 200 East Lake James  
Angola, IN 46703-7506

Description : A glacial stone seawall will be constructed across 60' of the applicant's 90' frontage, extending north from the southern property line. The lakeward face of the wall will be located along the lake's legal shoreline. Details of the project are contained in information and plans received at the Division of Water on July 13, 2006 and July 17, 2006.

Location : 100 Lane 200 East Lake James  
near Angola, Pleasant Township, Steuben County  
NW¼, SW¼, SE¼, Section 3, T 37N, R 13E, Angola West Quadrangle  
Quad Code: 4108561  
UTM Coordinates: Downstream 4617190 North, 664995 East

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake Rule, 312 IAC 11

Application # : PL-20510

Lake : Nyona Lake

Applicant : Fulton County Surveyor  
Don Towne  
987 East 700 North  
Rochester, IN 46975-7320

Description : Remove silt and brush from 175' of open channel in a one step removal process and haul to an upland site. Replace approximately 550' of an existing 8" tile with a 12" tile. Details of the project are contained in information and plans received at the Division of Water on July 17, 2006.

Location : Beginning 400' west and 700' north of the County Road 1350 North crossing of Nyona Lake and extending upstream (northwest) approximately 725'  
DOWNSTREAM: near Macy, Liberty Township, Fulton County  
S½, NE¼, NE¼, Section 16, T 29N, R 3E, Macy Quadrangle  
Quad Code: 4008682  
UTM Coordinates: Downstream 4535028 North, 568311 East  
UPSTREAM:  
UTM Coordinates: Upstream 4535091 North, 568079 East

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake Rule, 312 IAC 11

# Indiana Department of Natural Resources / Division of Water

## 30 Day Public Notice Report

---

Application # : PL-20517

Lake : Lake Wawasee

Applicant : Northern Lakes Land Company  
Karl Walther  
2405 East State Road 47  
Lebanon, IN 46052-9197

Description : A temporary "T" shaped group pier will be placed at the lake's frontage to provided access and mooring facilities. The 4' wide aluminum temporary pier will extend 175' lakeward of, and perpendicular to, the lake's legal shoreline. Also, there will be six (6) 2' wide walkways extending 20.83' from each side of the temporary pier. The pier will be supported by auger poles, which will be placed in the lakebed using hand held tools. In addition, a 2.5" augur post will be placed in the lakebed using hand held tools to define the boat slips on each side of the 4' wide main pier. Details of the project are contained in information and plans received at the Division of Water on July 19, 2006.

Location : A tract of land located in the Southeast quarter of the Southwest quarter of Section 25 Township 34 North Range 7 East in Turkey Creek Township Kosciusko County Indiana containing 0.65 acres more or less near Syracuse, Turkey Creek Township, Kosciusko County NE¼, NW¼, NW¼, Section 25, T 34N, R 7E, Lake Wawasee Quadrangle Quad Code: 4108546  
UTM Coordinates: Downstream 4581762 North, 611230 East

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake Rule, 312 IAC 11

# Indiana Department of Natural Resources / Division of Water

## 30 Day Public Notice Report

---

Application # : PL-20519

Lake : Lake Manitou

Applicant : John D Garrett  
3108 Counrty Club DR E  
Rochester, IN 46975

Description : An existing concrete seawall will be refaced across the 60' frontage of the applicant on Lake Manitou to prevent deterioration. The refacing will consist of Vinyl sheet piling anchored to deadmen 12' into the property from the shoreline. The refacing will have a maximum thickness of 6". Details of the project are contained in information received electronically at the Division of Water on July 24, 2006.

Location : 3108 Country Club Dr E; Lot 28 Best View 10' of west side Lot 29 Best View  
at Rochester, Rochester Township, Fulton County  
Section 15, T 29N, R 2E

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake Rule, 312 IAC 11

Application # : PL-20520

Lake : Lake Wawasee

Applicant : Oakwood Park (Uninted Methodist Foundation for  
Adult Christian Ministr  
Paul Prichard  
702 E Lake View Rd  
Syracuse, IN 46567

Description : An existing concrete seawall will be refaced across a 100' portion of the applicants frontage on Lake Wawasee to prevent deterioration. The refacing will consist Vinyl sheet piling anchored to deadmen 12' into the property from the shoreline. The refacing will have a maximum thickness of 6". Details of the project are contained in information received electronically at the Division of Water on July 24, 2006.

Location : 702 E Lake View Rd; portion to be refaced is along man made channel between  
1203 S Channel 2 LN and 1206 S Channel 3 LN  
near Syracuse, Turkey Creek Township, Kosciusko County

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake Rule, 312 IAC 11

# Indiana Department of Natural Resources / Division of Water

## 30 Day Public Notice Report

---

Application # : PL-20521

Lake : Jimmerson Lake

Applicant : Stephen A Shipe  
2710 CR 20  
Waterloo, IN 46793

Description : An existing 35' wide, 100' long channel along the north shore of Jimmerson Lake will undergo maintenance dredging along 35' of the shoreline to 100' length of the channel. Approximately 3' of accumulated muck and debris will be removed from the lake bed by dredging to a depth of 7' below the average normal level of the lake at a distance of 18' from the shoreline and uniformly sloping back to the average normal level at the shoreline. The excavated material will be transported to an upland containment area for dewatering and disposal. Water from the containment area will not be allowed to return to the lake. Details of the project are contained in information received electronically at the Division of Water on July 26, 2006.

Location : Lot #8 in the unrecorded plat of Jimmerson Shores Cooperative Incorporated. In this area, the 35' channel width is our lakefront.  
near Nevada Mills, Jamestown Township, Steuben County  
SE¼, Section 30, T 38N, R 13E

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake Rule, 312 IAC 11